

PageSpeed Insights

Mobile



İSTANBUL NAKLİYAT

Güvenilir istanbul evden eve nakliye hizmeti al zaman kazan garantide ol İstanbul'da en iyi evden eve nakliyat ev ofis kasa piyano cihaz antika taşıma firması evinizi ofisinizi özel eşyalarınızı özenle taşır.

PİYANO TAŞIMA



51 / 100 Speed

Should Fix:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 190.1KiB (74% reduction).

- Compressing <https://istanbulevdeneve.org/media/jui/js/jquery.min.js?f0410df5c5c79b302ad8bd96dcf54b49> could save 61.5KiB (65% reduction).
- Compressing <https://istanbulevdeneve.org/templates/prolife/js/bootstrap.js> could save 55.8KiB (80% reduction).
- Compressing <https://istanbulevdeneve.org/templates/prolife/css/template.css> could save 42.8KiB (85% reduction).
- Compressing <https://istanbulevdeneve.org/templates/prolife/css/expand.css> could save 12.4KiB (85% reduction).

Mobile

- Compressing https://istanbulevdeneve.org/modules/mod_countup/js/waypoint.js could save 6KiB (69% reduction).
- Compressing <https://istanbulevdeneve.org/media/jui/js/jquery-migrate.min.js?f0410df5c5c79b302ad8bd96dcf54b49> could save 5.9KiB (60% reduction).
- Compressing https://istanbulevdeneve.org/modules/mod_countup/js/counter.js could save 2.7KiB (68% reduction).
- Compressing <https://istanbulevdeneve.org/templates/prolife/js/respond.min.js> could save 2.2KiB (50% reduction).
- Compressing <https://istanbulevdeneve.org/templates/prolife/css/style1.css> could save 521B (67% reduction).
- Compressing https://istanbulevdeneve.org/modules/mod_countup/css/counter.css could save 280B (57% reduction).
- Compressing <https://istanbulevdeneve.org/media/system/js/caption.js?f0410df5c5c79b302ad8bd96dcf54b49> could save 155B (32% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://istanbulevdeneve.org/images/istanbulevdeneve.jpg> (expiration not specified)
- <https://istanbulevdeneve.org/images/istanbulevdenevenakliyat.jpg> (expiration not specified)
- <https://istanbulevdeneve.org/images/istanbulnakliyat.jpg> (expiration not specified)
- <https://istanbulevdeneve.org/images/logo.png> (expiration not specified)
- <https://istanbulevdeneve.org/images/resim1.jpg> (expiration not specified)
- <https://istanbulevdeneve.org/images/resim2.jpg> (expiration not specified)
- <https://istanbulevdeneve.org/images/resim3.jpg> (expiration not specified)
- <https://istanbulevdeneve.org/images/resim4.jpg> (expiration not specified)
- <https://istanbulevdeneve.org/images/resim5.jpg> (expiration not specified)
- <https://istanbulevdeneve.org/images/resim6.jpg> (expiration not specified)

Mobile

- <https://istanbulevdeneve.org/images/resim7.jpg> (expiration not specified)
- <https://istanbulevdeneve.org/images/resim8.jpg> (expiration not specified)
- https://istanbulevdeneve.org/modules/mod_countup/css/counter.css (expiration not specified)
- https://istanbulevdeneve.org/modules/mod_countup/js/counter.js (expiration not specified)
- https://istanbulevdeneve.org/modules/mod_countup/js/waypoint.js (expiration not specified)
- <https://istanbulevdeneve.org/templates/prolife/css/expand.css> (expiration not specified)
- <https://istanbulevdeneve.org/templates/prolife/css/style1.css> (expiration not specified)
- <https://istanbulevdeneve.org/templates/prolife/css/template.css> (expiration not specified)
- <https://istanbulevdeneve.org/templates/prolife/js/bootstrap.js> (expiration not specified)
- <https://istanbulevdeneve.org/templates/prolife/js/creative.js> (expiration not specified)
- <https://istanbulevdeneve.org/templates/prolife/js/respond.min.js> (expiration not specified)

Reduce server response time

In our test, your server responded in 2.5 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

Mobile

[Optimize CSS Delivery](#) of the following:

- <https://istanbulevdeneve.org/templates/prolife/css/template.css>

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 130.6KiB (17% reduction).

- Compressing <https://istanbulevdeneve.org/images/istanbulevdeneve.jpg> could save 79.9KiB (21% reduction).
- Compressing <https://istanbulevdeneve.org/images/istanbulevdenevenakliyat.jpg> could save 18.7KiB (14% reduction).
- Compressing <https://istanbulevdeneve.org/images/resim5.jpg> could save 10.5KiB (11% reduction).
- Compressing <https://istanbulevdeneve.org/images/resim3.jpg> could save 9.6KiB (12% reduction).
- Compressing <https://istanbulevdeneve.org/images/resim2.jpg> could save 8.8KiB (11% reduction).
- Compressing <https://istanbulevdeneve.org/images/logo.png> could save 3.1KiB (14% reduction).

Consider Fixing:

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 8.6KiB (14% reduction).

- Minifying <https://istanbulevdeneve.org/templates/prolife/css/template.css> could save 6.5KiB (14% reduction).

Mobile

- Minifying <https://istanbulevdeneve.org/templates/prolife/css/expand.css> could save 1.8KiB (13% reduction).
- Minifying <https://istanbulevdeneve.org/templates/prolife/css/style1.css> could save 244B (32% reduction).

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 26.3KiB (36% reduction).

- Minifying <https://istanbulevdeneve.org/templates/prolife/js/bootstrap.js> could save 24KiB (35% reduction).
- Minifying https://istanbulevdeneve.org/modules/mod_countup/js/counter.js could save 2.3KiB (57% reduction).



3 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

100 / 100 User Experience

 5 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Size tap targets appropriately

All of your page's links/buttons are large enough for a user to easily tap on a touchscreen. Learn more about [sizing tap targets appropriately](#).

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).



52 / 100 Speed

! Should Fix:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 190.1KiB (74% reduction).

- Compressing <https://istanbulevdeneve.org/media/jui/js/jquery.min.js?f0410df5c5c79b302ad8bd96dcf54b49> could save 61.5KiB (65% reduction).
- Compressing <https://istanbulevdeneve.org/templates/prolife/js/bootstrap.js> could save 55.8KiB (80% reduction).
- Compressing <https://istanbulevdeneve.org/templates/prolife/css/template.css> could save 42.8KiB (85% reduction).
- Compressing <https://istanbulevdeneve.org/templates/prolife/css/expand.css> could save 12.4KiB (85% reduction).
- Compressing https://istanbulevdeneve.org/modules/mod_countup/js/waypoint.js could save 6KiB (69% reduction).
- Compressing <https://istanbulevdeneve.org/media/jui/js/jquery-migrate.min.js?f0410df5c5c79b302ad8bd96dcf54b49> could save 5.9KiB (60% reduction).
- Compressing https://istanbulevdeneve.org/modules/mod_countup/js/counter.js could save 2.7KiB (68% reduction).
- Compressing <https://istanbulevdeneve.org/templates/prolife/js/respond.min.js> could save 2.2KiB (50% reduction).
- Compressing <https://istanbulevdeneve.org/templates/prolife/css/style1.css> could save 521B

Desktop

(67% reduction).

- Compressing https://istanbulevdeneve.org/modules/mod_countup/css/counter.css could save 280B (57% reduction).
- Compressing <https://istanbulevdeneve.org/media/system/js/caption.js?f0410df5c5c79b302ad8bd96dcf54b49> could save 155B (32% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://istanbulevdeneve.org/images/istanbulevdeneve.jpg> (expiration not specified)
- <https://istanbulevdeneve.org/images/istanbulevdenevenakliyat.jpg> (expiration not specified)
- <https://istanbulevdeneve.org/images/istanbulnakliyat.jpg> (expiration not specified)
- <https://istanbulevdeneve.org/images/logo.png> (expiration not specified)
- <https://istanbulevdeneve.org/images/resim1.jpg> (expiration not specified)
- <https://istanbulevdeneve.org/images/resim2.jpg> (expiration not specified)
- <https://istanbulevdeneve.org/images/resim3.jpg> (expiration not specified)
- <https://istanbulevdeneve.org/images/resim4.jpg> (expiration not specified)
- <https://istanbulevdeneve.org/images/resim5.jpg> (expiration not specified)
- <https://istanbulevdeneve.org/images/resim6.jpg> (expiration not specified)
- <https://istanbulevdeneve.org/images/resim7.jpg> (expiration not specified)
- <https://istanbulevdeneve.org/images/resim8.jpg> (expiration not specified)
- https://istanbulevdeneve.org/modules/mod_countup/css/counter.css (expiration not specified)
- https://istanbulevdeneve.org/modules/mod_countup/js/counter.js (expiration not specified)
- https://istanbulevdeneve.org/modules/mod_countup/js/waypoint.js (expiration not specified)
- <https://istanbulevdeneve.org/templates/prolife/css/expand.css> (expiration not specified)

Desktop

- <https://istanbulevdeneve.org/templates/prolife/css/style1.css> (expiration not specified)
- <https://istanbulevdeneve.org/templates/prolife/css/template.css> (expiration not specified)
- <https://istanbulevdeneve.org/templates/prolife/js/bootstrap.js> (expiration not specified)
- <https://istanbulevdeneve.org/templates/prolife/js/creative.js> (expiration not specified)
- <https://istanbulevdeneve.org/templates/prolife/js/respond.min.js> (expiration not specified)

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 619.7KiB (50% reduction).

- Compressing <https://istanbulevdeneve.org/images/istanbulevdeneve.jpg> could save 79.9KiB (21% reduction).
- Compressing and resizing <https://istanbulevdeneve.org/images/resim4.jpg> could save 78KiB (71% reduction).
- Compressing and resizing <https://istanbulevdeneve.org/images/resim5.jpg> could save 74.8KiB (72% reduction).
- Compressing and resizing <https://istanbulevdeneve.org/images/resim1.jpg> could save 73.2KiB (73% reduction).
- Compressing and resizing <https://istanbulevdeneve.org/images/resim8.jpg> could save 64.8KiB (76% reduction).
- Compressing and resizing <https://istanbulevdeneve.org/images/resim7.jpg> could save 59.3KiB (77% reduction).
- Compressing and resizing <https://istanbulevdeneve.org/images/resim3.jpg> could save 57.6KiB (70% reduction).
- Compressing and resizing <https://istanbulevdeneve.org/images/resim2.jpg> could save 57.4KiB (71% reduction).
- Compressing and resizing <https://istanbulevdeneve.org/images/resim6.jpg> could save 52.8KiB (74% reduction).
- Compressing <https://istanbulevdeneve.org/images/istanbulevdenevenakliyat.jpg> could save 18.7KiB (14% reduction).
- Compressing <https://istanbulevdeneve.org/images/logo.png> could save 3.1KiB (14% reduction).

Consider Fixing:

Reduce server response time

In our test, your server responded in 0.26 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 8.6KiB (14% reduction).

- Minifying <https://istanbulevdeneve.org/templates/prolife/css/template.css> could save 6.5KiB (14% reduction).
- Minifying <https://istanbulevdeneve.org/templates/prolife/css/expand.css> could save 1.8KiB (13% reduction).
- Minifying <https://istanbulevdeneve.org/templates/prolife/css/style1.css> could save 244B (32% reduction).

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Desktop](#)

[Minify JavaScript](#) for the following resources to reduce their size by 26.3KiB (36% reduction).

- Minifying <https://istanbulevdeneve.org/templates/prolife/js/bootstrap.js> could save 24KiB (35% reduction).
- Minifying https://istanbulevdeneve.org/modules/mod_countup/js/counter.js could save 2.3KiB (57% reduction).

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Optimize CSS Delivery](#) of the following:

- <https://istanbulevdeneve.org/templates/prolife/css/template.css>



3 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

Desktop

